



4

3

2

1

REVISIONS					
REV	ZONE	DESCRIPTION	DATE	BY	ECO
A	1C	ADDED ELECTRICAL SPECIFICATIONS	11-10-08	GVC	---
B	1C	LL SPEC WAS .9dB TYP, 1dB MAX	12-5-08	GVC	---



SPECIFICATIONS:

FREQUENCY RANGE: 0.8 - 2.5 GHz
 INSERTION LOSS: 0.3 dB TYP., 0.5 dB MAX.
 ISOLATION: 20 dB MIN; 23 dB TYP.
 VSWR (COMMON PORT): 1.20:1 TYP.; 1.35: MAX
 VSWR (OUTPUT PORTS): 1.20:1 TYP.; 1.35: MAX
 POWER RATING: 30 WATTS AVG., WITH LOAD VSWR OF 1.20:1 MIN.

TYPE N FEMALE
TYPICAL

DIMENSIONS: INCHES
(MILLIMETERS)

TOLERANCES		THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF MICROWAVE DEVICES, INC. AND IS PROPRIETARY. IF IS NOT TO BE COPIED OR USED FOR ANY PURPOSE OTHER THAN AS INSTRUCTED, IN WRITING, BY MICROWAVE DEVICES, INC.	SIGNATURES		DATE	
DECIMAL ± .03	FRACTION ±				DR	G.V.Cothren
MATERIAL			CHK			
FINISH			APPS			
JOCK ± .010 ANG ±		APPS				
		APPS				

MICROWAVE DEVICES
RF and Microwave Components

**OUTLINE, 4PD1.65N
4 WAY POWER DIVIDER**

CAGE	SIZE	DRAWING NO.
60674	B	900360

DRAWING SCALE 1=1 SHEET 1 OF 1

CONTACT: MICROWAVE DEVICES - 1150 N. GRAHAM RD. FRANKLIN, IN 48131 (317) 756-8833

DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

4

3

2

1